



- Main
- Observations
- Requests
- Deliveries
- Transfer
- Help
- Logout

View Library

Display

Relationships

[Deliveries](#)

[Prime/Rider](#)

Export

[XML](#)

[Summary-](#)

[Text](#)

[APF](#)

Comments

[View](#)

[Add](#)

Page

[Legend](#)

[Help](#)

This request revision is contained in a delivery and is frozen. Changes must be saved as a new revision.

Request Header [Description](#) [Observations](#) [Files](#) [Steps](#)

ID:	RSS_246EA_ESAULTEST001_RSS		
Title:	RSS ESA Uplink Test #1	Revision:	1
Rev Created:	15 Jun 2016, 23:48, by Anabtawi, Aseel	Priority:	2
Updated:	15 Jun 2016, 23:58, by Anabtawi, Aseel	Comments:	0
Start Time:	2016-298T09:31:00 GMT		
Pre Start	001T12:00:00		
Tolerance:			
Post Start	003T12:00:00		
Tolerance:			
Duration:	000T07:00:00		
End Time:	2016-298T16:31:00 GMT		
Change:	created from copy		
Change Justification:			
Visibility:	Public		
SPASS Type:	SPASS Rider (Collaborative: No)		
Group Filter:	MAPS		
Contact Info:	Aseel Anabtawi, 393-1073		
Description:	<p>RSS ESA Uplink Test, to test uplink handovers/transfers between the DSN and ESA's New Norcia (DSS-74) and Malargue (DSS-84) stations.</p> <p>Required stations are DSS-54, DSS-74 (X- and S-band downlink) and DSS-84 (X- and Ka-band downlink).</p> <p>The test was scheduled during an Earth-pointed gap in XD segment.</p>		

Request Description [Header](#) [Observations](#) [Files](#) [Steps](#)

Pointing Information			
Pointing:	XBAND to Earth		
Agreement:			
Primary Pointing:	XBAND to Earth		
Secondary Pointing:	PIC		
Resources			
Sequence Type:	Background	SSR Data Class:	Normal
Op Mode:	RSS3/RWA	Telem Mode:	-
Power (watts):	89.3	Est CDS Words:	200
Rate Multiplier:		APGEN Rate:	0
Effective Rate:	0 bps	Data Volume:	0 x 10 ⁶ bits
Frames:		Bits Per Frame:	
Team Consumables:	Ka-TWTA, KEX and SBT on at start; off at end. KAT thermal cycles incurred=0.2500		
IEB Text:			
Apgen Fields			
Activity Type:	RSS Activity		
Attributes	Parameters		
Legend:	RSS	CDSWords:	200

Duration: 000T07:00:00 Power: 89.3
 Color: Hot Pink SSRDataClass: Normal
 Pattern: 60 - Large Pinwheels
 Description: see above

Green items are request fields shown here for clarity

Support and Other Descriptive Information

Liens:
 Waivers:
 RTC:
 FSW Loads:
 ITL Request:
 Special DSN Requirements: DSS-54 required to obtain X- and Ka-band downlink data.
 Special Requirements: This activity required RSS3RWAF Opmode (called RSS3B). IO-RS Ops should be consulted, along with the integrated and approved activities TOL, before SASF generation.
 Support Imaging Required:
 Document References:
 As Flown:

SASF Fields

Processor:
 Key:
 Workgroup:
 Status:
 Upper Label:
 Lower Label:
 Edit Group:
 Request State:

Associated Observations [Header](#) [Description](#) [Files](#) [Steps](#)

Last Updated	Observation	Rev	Cmts

Associated External Files [Header](#) [Description](#) [Observations](#) [Steps](#)

File Name	Relative Path	Last Modified	File Size

Steps [Header](#) [Description](#) [Observations](#) [Files](#)

Type	Label	Name	Offset	Off-Type